

Complete Diagnostics for Kidney Transplant Patients

- Noninvasive solutions to help manage rejection, infection and treatment
- Business Simplicity: Seamless lab integration services & comprehensive test menu
- 30+ years of trusted diagnostics & innovation



Eurofins Clinical Diagnostics





An alternative to biopsies, Viracor TRAC utilizes a liquid biopsy to evaluate the percentage of dd-cfDNA in transplant recipient plasma posttransplant, helping to aid physicians in their treatment plan.

Stable Renal **Function**

Biopsy with Histology Tissue Gene Expression

Invasive

TruGraf Powered by Transplant Genomics Subclinical **Rejection Testing**

Dysfunction dd-cfDNA **Acute Rejection Testing**

Renal

Graft

Noninvasive

VIRACOR'S TRANSPLANT DIAGNOSTICS PORTFOLIO

	Viracor	CareDx	Natera
Acute Rejection dd-cf DNA	TRAC Kidney	✓	✓
Subclinical Rejection	TruGraf Powered by Transplant Genomics	×	×
Infectious Disease Portfolio	BKV, CMV, Fungals, ImmuKnow & more	×	×
Therapeutic Drug Monitoring	Immunosuppression: Tacrolimus, Cyclosporine, Everolimus, Sirolimus Antifungals: Voriconazole, Itraconazole, Posaconazole, Isavuconazole	×	×

Sensitivity, specificity and positive and negative predictive values of TRAC are comparable in results to those of other dd-cfDNA assays on the market.*

Working with the American Medical Association/CPT®, Viracor Eurofins has secured a Proprietary Laboratory Analyses (PLA) code for Viracor TRAC™.

VISIT US ONLINE:

viracor-eurofins.com/trac

*Data is available on file



